European Journal of Anaesthesiology 1991, **8**, 511–527

Author Index

Abe K, Fujino Y, Demizu A, Takauchi Y, Hoshida T, Kamada K, Machimo T and Yoshiya I. The effect of prostaglandin E_1 on local cerebral blood flow during cerebral-aneurysm clip ligation, 359
Agoston S *see* Wierda JMKH
Aliaga L *see* Ortiz M
Anderson PK *see* Nielsen LH
Antonsen S *see* Wanscher M
Aquilar J *see* Ortiz M
Arola M *see* Kentala E
Arvieux CC *see* Ramsay JG
Attallah A-FM *see* Atallah MM
Atallah AFM *see* Atallah MM
Atallah MM, Motawea AAMI, El-Chennawy FAA and Attallah A-FM. Immunological assays following exposure to halothane in clinical usage, 459
Atallah MM, Motawea AAMI, El-Chennawy FAA and Attallah A-FM. Immunomodulating effects of halothane in mice, 239

Baturell C *see* Ortiz M
Be WKM, Kerkkamp HEM and Booij LHDJ. Hemocue® – a new haemoglobinometer in the clinic, 55
Bell PF *see* Stanley JC
Berde CB *see* Desparmet JF
Berge JA, Gramstad L and Bodd E. Safety testing the Bain circuit – a new test adaptor, 309
Blake DW, McGrath BP, Donnan GB, Smart S, Way D, Myers KA and Fullerton M. Influence of cardiac failure on atrial natriuretic peptide responses in patients undergoing vascular surgery, 365
Bodd E *see* Berge JA
Bodenham A *see* Shelly MP
Bohrer H, Hoyer S and Krier C. The influence of etomidate upon cerebral metabolites after complete brain ischaemia in the rat, 233
Boisson-Bertrand D, Taron F and Laxenaire MC. Etomidate vs. propofol to carry out suspension laryngoscopies, 141
Bone ME and Bristow A. Total intravenous anaesthesia in stereotactic surgery – one year's clinical experience, 47
Booij LHDJ *see* Be WKM
Boulter N, Serrao JM, Gent JP and Goodchild CS. Spinally mediated antinociception following intrathecal chlordiazepoxide – further evidence for a benzodiazepine spinal analgesic effect, 407
Bricard H *see* Tartiere J
Bristow A *see* Bone ME
Buckley PM *see* Harper SJ
Bunemann L, Jensen KA, Riisager S and Thomsen LJ. Cerebral blood flow and metabolism during hypotension induced with sodium nitroprusside and metoprolol, 197
Burke AM *see* Coventry DM

Carr K *see* Harper SJ
Chee CP *see* Wang CY
Chraemmer-Jørgensen B, Fleming Høilund-Carlsen P, Marving J, Strøm J, Nielsen MD, Jensen BH, Lønborg-Jensen H and Schmidt K. Left-ventricular performance, volumes, and catecholamine responses during anaesthesia induction – monitoring by combined radionuclide cardiography and right heart catheterization, 437
Clarke RSJ *see* Stanley JC
Coad NR. Post-operative analgesia following femoral-neck surgery – a comparison between 3 in 1 femoral nerve block and lateral cutaneous nerve block, 287
Coventry DM, Martin CS and Burke AM. Sedation for paediatric computerized tomography – a double-blind assessment of rectal midazolam, 29
Critchlow M, Ibrahim Z, Pollard BJ. General anaesthesia for gamete intra-fallopian transfer, 381
Crozier TA, Radke J, Weyland A, Sydow M, Seyde W, Markakis E and Kettler D. Haemodynamic and endocrine effects of deliberate hypotension with magnesium sulphate for cerebral-aneurysm surgery, 115

Dartayet B *see* Edouard A
De Lange JJ *see* Scheffer GF
Delilkan AE *see* Wang CY
Demizu A *see* Abe K
Deshayes JP *see* Tartiere J
Desparmet JF, Berde CB, Schwartz DC,

Lunn RJ and Hershenson MB. Efficacy of adrenaline, lignocaine–adrenaline and isoprenaline as a test dose in halothane-anaesthetized lambs, 123
De Wit APM *see* Wierda JMKH
Dick WF, Zorab JSM and Otteni J-C. The assessment of European Departments of Anaesthesiology involved in teaching and training, 475
Diedericks J *see* Ramsay JG
Dornan GB *see* Blake DW
Dunphy JA *see* Lewis RP

Edouard A, Dartayet B, Ruegg C and Samii K. The use of calcium antagonists to treat intra-operative hypertension – evaluation of efficacy and safety of a new dihydropyridine derivative, intravenous isradipine, during abdominal surgery, 351
Eijk RJR *see* Kho HG
El-Chennawy FAA *see* Atallah MM

Faithfull NS. Post-operative headache – a multifactorial analysis, 59
Faruhashi K *see* Okuda M
Fauvel NJ *see* Feldman SA
Feldman SA, Fauvel NJ and Ooi R. The cuffed pharyngeal airway, 291
Fleming Høilund-Carlsen P *see* Chraemmer-Jørgensen B
Foëx P *see* Ramsay JG
Forbes R *see* Melton J
Frei F *see* Strebel S
From RP *see* Slater RM
Fruergaard K *see* Nielsen J
Fruergaard K, Jenstrup M, Schierbeck J and Wiberg-Jørgensen F. Total intravenous anaesthesia with propofol or etomidate, 385
Fujino Y *see* Abe K
Fullerton M *see* Blake DW

Gao F, Mapleson WW and Vickers MD. Effect of sub-anaesthetic infusions of propofol on peak velocity of saccadic eye movements, 267
Gent JP *see* Boulter N
Gent JP *see* Goodchild CS
Gent JP *see* Serrao JM
Gerdes NU *see* Nielsen J
Goodchild CS *see* Boulter N
Goodchild CS *see* Serrao JM
Goodchild CS, Sanghera S, Serrao JM and Gent JP. Analgesia mediated by spinal κ-opioid receptors, 227
Gramstad L *see* Berge JA

Hannelin M *see* Toivonen J
Harper SJ, Buckley PM and Carr K. Propofol and alfentanil infusions for sedation in intensive therapy, 157
Helbo-Hansen HS *see* Wanscher M
Hershenson MB *see* Desparmet JF
Hoshida T *see* Abe K
Hoyer S *see* Bohrer H

Ibrahim Z *see* Critchlow M
Inoue S *see* Ueda N

Jensen BH *see* Chraemmer-Jørgensen B
Jensen KA *see* Bunemann L
Jenstrup M *see* Fruergaard K
Jenstrup M *see* Nielsen J
Jonges R *see* Scheffer GF

Kaila T *see* Kentala E
Kakas M *see* Wierda JMKH
Kamada K *see* Abe K
Kanda F *see* Oguchi T
Kanto J *see* Kentala E
Kapteyns WMMJ *see* Kho HG
Kashimoto S *see* Oguchi T
Kataja J. Thoracolumbar epidural anaesthesia and isoflurane to prevent hypertension and tachycardia in patients undergoing abdominal aortic surgery, 427
Kaukinen S *see* Toivonen J
Kentala E, Kaila T, Arola M, Mattila M and Kanto J. Pharmacokinetics and clinical response of hyoscine plus morphine premediction in connection with cardiopulmonary bypass surgery, 135
Kerkkamp HEM *see* Be WKM
Kettler D *see* Crozier TA
Kho HG, Van Egmond J, Eijk RJR and Kapteyns WMMJ. Lack of influence of acupuncture and transcutaneous stimulation on the immunoglobulin levels and leucocyte counts following upper-abdominal surgery, 39
Khuenl-Brady KS, Scharz S, Richardson FJ and Mitterschiffthaler G. Maintenance of surgical muscle relaxation by repeat doses of vecuronium and atracurium at three different dose levels, 1
Kleef UW *see* Wierda JMKH
Knudsen F *see* Nielsen LH
Knudsen F *see* Wanscher M
Kochs E and Schulte Am Esch J. Somatosensory evoked responses during and after graded brain ischaemia in goats, 257
Konishi K *see* Okuda M

Krier C *see* Bohrer H
Kristensen J *see* Nielsen LH
Kumazawa T *see* Oguchi T

Laxenaire MC *see* Boisson-Bertrand D
Lefrançois C *see* Tartiere J
Lewis RP, Dunphy JA & Reilly CS. Paracetamol metabolism after general anaesthesia, 445
Lindgren L, Randell T and Saarnivaara L. Comparison of inhalation induction with isoflurane or halothane in children, 33
List W *see* Wisiak UV
Lønborg-Jensen H *see* Chraemmer-Jørgensen B
Lunn RJ *see* Desparmet JF

McGrath BP *see* Blake DW
Mapleson WW *see* Gao F
Markakis E *see* Crozier TA
Martin CS *see* Coventry DM
Marving J *see* Chraemmer-Jørgensen B
Mashimo T *see* Abe K
Mattila M *see* Kentala E
Meijer DKF *see* Wierda JMKH
Melton J, Forbes R and Westlund J. Pulmonary oedema following temporomandibular arthroscopy of a healthy patient, 471
Mima M. Tension pneumothorax possibly due to the placement of a Swan–Ganz catheter detected by changes in the ventilator, 171
Mirakhur RK *see* Stanley JC
Mitterschiffthaler G *see* Khuenl-Brady KS
Motawea AAMI *see* Atallah MM
Muneyuki M *see* Okuda M
Muteki T *see* Ueda N
Myers KA *see* Blake DW

Nielsen DT *see* Nielsen LH
Nielsen J, Jenstrup M, Gerdes NU, Rasmussen LS, Fruergaard K and Wiberg-Jørgensen F. Awakening and recovery of simple cognitive and psychomotor functions 2 h after anaesthesia for day-case surgery – total intravenous anaesthesia with propofol–alfentanil versus thiopentone–alfentanil, 219
Nielsen LH, Kristensen J, Knudsen F, Nielsen DT and Anderson PK. Fibre-optic bronchoscopic evaluation of tracheal tube position, 277
Nielsen MD *see* Chraemmer-Jørgensen B
Nishina H *see* Ueda N

Oguchi T, Kashimoto S and Kumazawa T. Coronary-artery spasm during spinal anaesthesia in a patient with primary hyperparathyroidism, 69
Oguchi T, Kashimoto S and Kumazawa T. Anaesthetic management of dilated cardiomyopathy with severe ventricular dysrhythmias, 301
Oikkonen M *see* Toivonen J
Okuda M, Farhuhashi K, Konishi K and Muneyuki M. Effects and arterial concentration of prostaglandin E_1 during cardiopulmonary bypass, 129
Olkkola KT and Schwilden H. Adaptive closed-loop feedback control of vecuronium-induced neuromuscular relaxation, 7
Ooi R *see* Feldman SA
Ortiz M, Aliaga L, Baturell C, Preciado MJ, Aguilar J and Vidal F. Intracranial subdural haematoma – a rare complication after spinal anaesthesia, 245
Otteni J-C *see* Dick WF

Pank JR *see* Slater RM
Park GR *see* Shelly MP
Peper A *see* Scheffer GF
Pollard BJ *see* Critchlow M
Preciado MJ *see* Ortiz M
Priebe H-J. Coronary circulation and factors affecting coronary 'steal', 177

Quesnel J *see* Tartiere J

Radke J *see* Crozier TA
Ramsay JG, Arvieux CC, Diedericks J and Foëx P. Verapamil and nitrous oxide exert only minor effects on the normal myocardium in the presence of fentanyl, 203
Randell T *see* Lindgren L
Rasmussen LS *see* Nielsen J
Reilly CS *see* Lewis RP
Richardson FJ *see* Khuenl-Brady KS
Riisager S *see* Bunemann L
Ros HH *see* Scheffer GF
Roulson CJ *see* Underwood SM
Ruegg C *see* Edouard A

Saarnivaara L *see* Lindgren L
Samba D *see* Tartiere J
Samii K *see* Edouard A
Sammi K *see* Tartiere J
Sanghera S *see* Goodchild CS
Savege TM *see* Underwood SM
Scharz S *see* Khuenl-Brady KS

Scheffer GF, Van Schagen NT, Jonges R, Ros HH, Peper A and De Lange JJ. Atrial and His–Purkinje conduction times during isoflurane anaesthesia in humans, 373
Schierbeck J *see* Fruergaard K
Schmidt K *see* Chraemmer-Jørgensen B
Schulte Am Esch J *see* Kochs E
Schwartz DC *see* Desparmet JF
Schwilden H *see* Olkkola KT
Serrao JM *see* Boulter N
Serrao JM *see* Goodchild CS
Serrao JM, Goodchild CS and Gent JP. Reversal by naloxone of spinal antinociception effects of fentanyl, ketocyclazocine and midazolam, 401
Seyde W *see* Crozier TA
Sharpe DE *see* Stanley JC
Shelly MP, Sultan MA, Bodenham A and Park GR. Midazolam infusions in critically ill patients, 21
Skarvan K *see* Strebel S
Slater RM, From RP, Sum Ping JST and Pank JR. Changes in plasma potassium and neuromuscular blockade following suxamethonium in patients treated with terbutaline, 281
Smart S *see* Blake DW
Stanley JC, Mirakhur RK, Bell PF, Sharpe DE and Clarke RSJ. Neuromuscular effects of pipecuronium bromide, 151
Stevens JD and Wauchob TD. Dystrophia myotonica – emergency Caesarean section with spinal anaesthesia, 305
Strebel S, Frei F and Skarvan K. Phenylephrine in a hypoxaemic spell, 167
Strøm J *see* Chraemmer-Jørgensen B
Sultan MA *see* Shelly MP
Sum Ping JST *see* Slater RM
Sydow M *see* Crozier TA
Szenohradszky J *see* Wierda JMKH

Takauchi Y *see* Abe K
Tammisto T and Toikka O. Spontaneous EMG activity for detection of arousal during general anaesthesia – comparison between recordings from frontal and neck musculature, 109
Taron F *see* Boisson-Bertrand D
Tartiere J, Samba D, Lefrançois C, Deshayes JP, Samii K, Bricard H and Quesnel J. Intrapleural bupivacaine analgesia after thoraco-abdominal incision for oesophagectomy, 145
Thomsen LJ *see* Bunemann L
Thornton C. Evoked potentials in anaesthesia, 89
Toft P *see* Wanscher M
Toikka O *see* Tammisto T
Toivonen J, Kaukinen S, Oikkonen M and Hannelin M. Effects of deliberate hypotension induced by labetalol on renal function, 13
Tsuda H *see* Ueda N

Ueda N, Muteki T, Tsuda H, Inoue S and Nishina H. Is the diagnosis of significant residual neuromuscular blockade improved by using double-burst nerve stimulation?, 213
Underwood SM, Roulson CJ and Savege TM. Intramuscular injections through indwelling cannulae, 465

Van Egmond J *see* Kho HG
Van Schagen NT *see* Scheffer GF
Vickers MD *see* Gao F
Vidal F *see* Ortiz M
Vincent JL. Transfusion in the exsanguinating Jehovah's Witness patient – the attitude of intensive-care doctors, 297

Wang CY, Chee CP and Delilkan AE. Upward transtentorial herniation of posterior fossa structures, 469
Wanscher M, Antonsen S, Toft P, Knudsen F and Helbo-Hansen HS. Attenuation of intra-operative surgical stress response has no influence on post-operative degranulation of polymorphonuclear granulocytes, 393
Wauchob TD *see* Stevens JD
Way D *see* Blake DW
Westlund J *see* Melton J
Weyland A *see* Crozier TA
Wiberg-Jørgensen F *see* Fruergaard K
Wiberg-Jørgensen F *see* Nielsen J
Wierda JMKH, Szenohradszky J, De Wit APM, Zentai G, Agoston S, Kakas M, Kleef UW and Meijer DKF. The pharmacokinetics, urinary and biliary excretion of pipecuronium bromide (Arduan®), 451
Wisiak UV and List W. Communication during the pre-operative visit, 65

Yoshiya I *see* Abe K

Zentai G *see* Wierda JMKH
Zorab JSM *see* Dick WF

Keyword Index

ADRENOCEPTOR STIMULATION
terbutaline, 281
ANAESTHESIA
depth, 109
neurosurgical, 359
paediatric, 123
ANAESTHETIC TECHNIQUES
acupuncture, 39
bronchoscopy, 277
cardiopulmonary bypass, 135
complications, 381
epidural, 123, 393, 427
hypotension, 13, 197, 359
induced, 197
intrapleural, 145
intravenous, 219
intubation, 33
nerve block, 287
total, 219
total intravenous anaesthesia, 47
ANAESTHETICS
rectal, 29
ANAESTHETICS, INTRAVENOUS
etomidate, 141, 233, 257, 385
fentanyl, 203, 301, 351, 437
halothane, 239
midazolam, 301, 437
propofol, 141, 157, 219, 267, 385
thiopentone, 219
ANAESTHETICS, LOCAL
bupivacaine, 145
lignocaine, 123
ANAESTHETICS, VOLATILE
enflurane, 13, 381
halothane, 33, 123, 203, 381, 459
isoflurane, 13, 33, 373
ANALGESIA
post-operative, 145, 287, 465
ANALGESIC TECHNIQUES
spinal, 401, 407
ANALGESICS
alfentanil, 157
fentanyl, 385, 401
ketocyclazocine, 401
spinal, 227
ANTAGONISTS
flumazenil, 401
naloxone, 401

BIOTRANSFORMATION (DRUG)
paracetamol, 445

BLOOD PRESSURE
hypertension, 351
hypotension, 115
BLOOD
complement, 393
elastase, 393
haemoglobin, 55
lactoferrin, 393
loss, 297
polymorphonuclear granulocytes, 393
BLOOD PRESSURE
catecholamines, 115
magnesium sulphate, 115
plasma renin activity, 115
BRAIN
blood flow, 197, 257
evoked potentials, 257
ischaemia, 233, 257
oxygen consumption, 197
protection, 233

COMPLICATIONS
endotracheal, 277
headache, 59
hypertension, 351, 427
intubation, 277
tachycardia, 427
COMPUTERS
automatic control, 7

DRUG METABOLISM
pipecuronium, 451

ELECTROLYTES
potassium, 281
EQUIPMENT
intramuscular cannula, 465
ETHICS, 297

GASES
nitrous oxide, 203

HEART
conduction, 373
dilated cardiomyopathy, 301
dysrhythmias, 373
failure, 365
myocardial function, 203
ventricular dysrhythmia, 301
verapamil, 203

HORMONES
atrial natriuretic peptides, 365
catecholamines, 365
HYPNOTICS
chlordiazepoxide, 407
midazolam, 29, 401

IMMUNE RESPONSE, 239, 459
INDUCTION
anaesthesia, 437
enzymes, 445
INTENSIVE CARE
sedation, 21, 157
INTUBATION, 277

KIDNEY
blood flow, 13
diuretics, 13
frusemide, 13
function, 13

MEASUREMENT TECHNIQUES
catecholamines, 437
haemoglobin, 55
electromyography, 109
neuromuscular blockade, 109, 151
radionuclide cardiography, 437
right heart catheterization, 437
saccadic eye movements, 267
signal averaging, 373
train-of-four, 213
MONITORING
double-burst stimulation, 213
nerve stimulator, 213
MUSCLE RELAXANT
pancuronium, 213

NEUROMUSCULAR RELAXANTS
atracurium, 1
cumulation, 1
multiple dosing, 1
pipecuronium, 451
pipecuronium bromide, 151
suxamethonium, 281
vecuronium, 1, 7
NEUROMUSCULAR TRANSMISSION
nerve stimulator, 213

OPIOIDS
anti-nociception, 227
κ-receptor, 227

PARASYMPATHETIC NERVOUS SYSTEM
atropine, 123
PHARMACODYNAMICS
hyoscine, 135
morphine, 135
PHARMACOKINETICS
distribution, 451
hyoscine, 135
models, 7
morphine, 135
urinary and biliary excretion, 451
PHARMACOLOGY
arterialized venous concentrations, 267
benzodiazepines, 21
calcium-channel blocking drugs, 351
drug tolerance, 21
dynamic-kinetic relationship, 451
isradipine, 351
labetalol, 13
prostaglandin E_1, 359
pseudo-steady-state infusions, 267
PROSTAGLANDIN E_1, 129
PSYCHOLOGICAL RESPONSES
pre-operative visit, 65

RECOVERY
assessments, 219
cognitive function, 219
psychomotor function, 219

SURGERY
abdominal aortic, 427
cardiopulmonary bypass, 129
cerebral aneurysm, 115
choledochotomy, 451
day-stay, 59
laryngectomy, 451
oesophagectomy, 145
post-operative period, 39
stereotactic, 47
subtotal gastrectomy, 301
suspension laryngoscopy, 141
upper abdominal, 39
urology, 59
vascular, 365
SYMPATHETIC NERVOUS SYSTEM
catecholamines, 123
adrenaline, 123
isoprenaline, 123

TRACHEAL
technique, 277
TRANSMISSION, 297

Subject Index

Acupuncture, effect on immunoglobulin levels and leucocyte counts (Kho *et al.*), 39
Acute-phase reactions, to major abdominal surgery (Fitzgerald *et al.*), 344 (Abs)
Adaptive closed-loop feedback, with vecuronium (Olkkola & Schwilden), 7
Adrenaline, different doses, effect on myocardial perfusion during CPR (Lindner *et al.*), 332 (Abs)
, effect on endogenous glucose production (Ensinger *et al.*), 505 (Abs)
, effect on oxygen consumption in volunteers (Ensinger *et al.*), 71 (Abs)
, exogenous and total, associated with dental anaesthesia under articaine (Lipp *et al.*), 315 (Abs)
, relationship between plasma concentrations and cardiac effects (Ensinger & Schulich), 72 (Abs)
, test dose for halothane-associated arrhythmias (Desparmet *et al.*), 123
Adrenergic drugs, effect on alanine turnover and urea production (Träger *et al.*), 507 (Abs)
, effects on myocardial blood flow and subendocardial/subepicardial flow ratio during CPR (Gervais *et al.*), 333 (Abs)
Age effect, doxacurium (De Mey & Rolly), 506 (Abs)
, spinal bupivacaine in the elderly (Labaille *et al.*), 334 (Abs)
Airway, cuffed pharyngeal device (Feldman *et al.*), 291
Alanine, turnover, and urea production, effect of adrenaline (Träger *et al.*), 507 (Abs)
Alfentanil, epidural, comparison with intravenous continuous infusions in postoperative pain (Camu & Debucquoi), 413 (Abs)
, with midazolam or propofol for TIVA (Vuyk *et al.*), 325 (Abs)
, with propofol infusions for sedation in intensive therapy (Harper *et al.*), 157
, with propofol or thiopentone, effects on recovery after day-stay anaesthesia (Nielsen *et al.*), 219
Alizapride, effectiveness as anti-emetic (Kesecioglu *et al.*), 420 (Abs)
Analgesia, effects of ICI 197 067 at κ-opioid receptors (Goodchild *et al.*), 227
, intrapleural, after oesophagectomy (Tartiere *et al.*), 145
, obstetric, continous infusions of bupivacaine and alfentanil (Cooper *et al.*), 506 (Abs)
, postoperative by bupivacaine, plasma concentrations in (Misra *et al.*), 73 (Abs)
, postoperative, efficacy of diclofenac infusion (Claeys *et al.*), 419 (Abs)
, postoperative, following femoral-neck surgery (Coad), 287
, postoperative, intranasal pethidine for (Striebel *et al.*), 509 (Abs)
, postoperative, use of epidural and intravenous infusions of alfentanil (Camu & Debucquoi), 413 (Abs)
, postoperative, use of epidural sufentanil, intravenous sufentanil or epidural fentanyl by PCA (Chrubasik *et al.*), 486 (Abs)
, postoperative, use of intrapleural bupivacaine after oesophagectomy (Tartiere *et al.*), 145
Anti-emetic, alizapride (Kesecioglu *et al.*), 420 (Abs)
Antibiotics, rate of penetration into omentum intra-operatively (Pain *et al.*), 343 (Abs)
Arm, position of, in bolus clearance of intravenous agents (McLintic *et al.*), 502 (Abs)
Articaine, plasma levels after and during dental anaesthesia (Lipp *et al.*), 315 (Abs)
ATP, intestinal content in septic shock in pigs (Zeeb & Pfenninger, 73 (Abs)
Atracurium, hepatotoxicity testing of (Tuechy *et al.*), 508 (Abs)
, monitoring of adverse reactions to (Hughes), 416 (Abs)
, multiple dosing, comparison with vecuronium (Khuenl-Brady *et al.*), 1
Atrial natriuretic factor, influence of cardiac failure in patients undergoing vascular surgery (Blake *et al.*), 365
, release of, related to contraction rate (Riddervold *et al.*), 311 (Abs)
Atrial, and His-Purkinje, conduction times during isoflurane anaesthesia (Scheffer *et al.*), 373
Atropine, premedication in children, clinical effects and plasma levels (Gindi *et al.*), 488 (Abs)

Autonomic reflex function, effect of surgical stimulation in the presence of propofol or isoflurane (O'Flaherty *et al.*), 495 (Abs)
Awareness, use of spontaneous EMG for detecting (Tammisto & Toikka), 109

Bain circuit, a new test adaptor (Berge *et al.*), 309
Biotransformation, of paracetamol after general anaesthesia (Lewis *et al.*), 445
Blood flow, intestinal, in septic shock in pigs (Zeeb & Pfenninger, 73 (Abs)
Blood glucose level, control in the diabetic patient during anaesthesia (Racoules *et al.*), 341 (Abs)
Blood pressure, non-invasive, use of Finapres (Jahnke *et al.*), 330 (Abs)
Blood transfusion, for Jehovah's Witnesses (Vincent), 297
, massive, during liver transplantation in children (Ozier *et al.*), 345 (Abs)
Book Review, *Anesthetic Management of Difficult and Routine Pediatric Patients*, 2nd edn (Berry), 424
, *Bailliere's Clinical Anaesthesiology* 4:2. *Intensive Care: Developments and Controversies* (Dodd, ed.), 348
, *Clinical Neuroanaesthesia* (Cucchiara & Michenfelder), 253
, *Clinical Anaesthesiology Series – Anaesthesia for Day-case Surgery* (Healy, ed.), 423
, *Clinical Applications of Ventilatory Support* (Kirby, Banner & Downs), 254
, *Epidural and Spinal Blockade in Obstetrics* (Reynolds), 425
, *Handbook of Critical Care* (Berk & Sampliner), 253
, *Manual of Pediatric Anesthesia* (Steward), 84
, *Medicine in the Practice of Anaesthesia* (Kaufman & Betteridge), 83
, *Memory and Awareness in Anaesthesia* (Bonke, Fitch & Millar), 85
, *Preparing for the Anesthesia Orals* (Christopher *et al.*), 254
, *Recent Advances in Anaesthesia and Analgesia – 16*, (Atkinson & Adams), 83
, *Resuscitation Handbook* (Baskett), 85
, *Textbook of Anaesthesia*, 2nd edn (Aitkenhead & Smith), 424
, *Textbook of Critical Care Medicine* (Shoemaker *et al.*), 347
Brain ischaemia, somatosensory evoked responses during (Kochs & Schulte am Esch), 257
Brain laryngeal mask airway (Supplement 4)
Brainstem evoked potentials, use in post-anoxic coma (Barelli *et al.*), 333 (Abs)
Bronchoscope, fibre-optic, evaluation of position of endotracheal tube with (Nielsen *et al.*), 277
Bupivacaine, cardiac toxicity in rats (Debreuil *et al.*), 79 (Abs)
, for isobaric spinal anaesthesia, effect of volume (Schmitz & Lanz), 336 (Abs)
, intrapleural, after oesophagectomy (Tartiere *et al.*), 145
, plasma concentrations following nerve blocks (Misra *et al.*), 73 (Abs)
, regional anaesthesia with, insulin and glucose responses during (Gouyet *et al.*), 496 (Abs)
, spinal anaesthesia with, in elderly patients (Labaille *et al.*), 334 (Abs)
, supplementation with diamorphine or fentanyl for epidural in obstetrics (Enever *et al.*), 81 (Abs)
, with adrenaline, isobaric for spinal anaesthesia (Tetzlaff *et al.*), 335 (Abs)
, with or without fentanyl in epidural analgesia (Murphy *et al.*), 78 (Abs)

Caesarean section, effect of adding epidural morphine (Vadalouca *et al.*), 338 (Abs)
, spinal anaesthesia for, effect on ventilatory patterns (Pain *et al.*), 504 (Abs)
, use of spinal anaesthesia in a case of dystrophia myotonica (Stevens & Wauchob), 305
Calcium antagonists, in the treatment of intra-operative hypertension (Edouard *et al.*), 351
Cardiac effects, relationship with plasma concentrations of adrenergic agents (Ensinger & Schulich), 72 (Abs)
Cardiac surgery, effect on diaphragmatic function (Clergue *et al.*), 345 (Abs)
, first-pass uptake of fentanyl in the lung during (Bernath & Gardaz), 485 (Abs)
Cardiac toxicity, of bupivacaine in rats (Dubreuil *et al.*), 79 (Abs)
Cardiac, conduction times during isoflurane anaesthesia (Scheffer *et al.*), 373
Cardiogenic shock, in dogs, use of Hemopump in (Wouters *et al.*), 76 (Abs)
Cardiomyopathy, anaesthetic management of (Oguchi *et al.*), 301

Cardiopulmonary bypass, effects of prostaglandin E_1 during (Okuda *et al.*), 129
, premedication with morphine and hyoscine in (Kentala *et al.*), 135
Case Report, Cardiomyopathy with ventricular dysrhythmias (Oguchi *et al.*), 301
, Coronary artery spasm during spinal anaesthesia (Oguchi *et al.*), 69
, Dystrophia myotonica, emergency Caesarean section in (Stevens & Wauchob), 305
, Intracranial subdural haematoma after spinal anaesthesia (Ortiz *et al.*), 245
, Phenylephrine for hypoxic spell of Fallot tetralogy (Strebel *et al.*), 167
, Pulmonary oedema following temporomandibular arthroscopy (Melton *et al.*), 471
, Tension pneumothorax due to Swan–Ganz catheter (Mima), 171
, Transtentorial herniation of posterior fossa structures (Wang *et al.*), 469
Catecholamines, levels with magnesium sulphate-induced hypotension (Crozier *et al.*), 115
, role during CPR (Lindner & Ahnefeld), 319 (Abs)
Caudal block, in children, serum β-endorphin levels (Stathopoulou *et al.*), 334 (Abs)
Cerebral blood flow, and metabolism during hypotension (Bunemann *et al.*), 197
, assessed by Doppler sonography (Schregel *et al.*), 321 (Abs)
, effect of fall on evoked responses (Kochs & Schulte am Esch), 257
, effect of propofol on autoregulation (Werner *et al.*), 494 (Abs)
, effect of prostaglandin E_1 on, during cerebral aneurysm clip (Abe *et al.*), 359
, effects of sufentanil on (Weinstabl *et al.*), 326 (Abs)
Cerebral ischaemia, influence of etomidate on metabolite production (Bohrer *et al.*), 233
Cerebral metabolic rate, during hypotension with nitroprusside and metoprolol (Bunemann *et al.*), 197
Cerebral metabolites, effect of etomidate upon during brain ischaemia (Bohrer *et al.*), 233
Children, induction by inhalation with isoflurane or halothane (Lindgren *et al.*), 33
Chlordiazepoxide, effect on spinal opioid receptors (Boulter *et al.*), 407
Cimetidine, oral effervescent preparation in day-stay anaesthesia (Narchi *et al.*), 328 (Abs)
Clonidine, premedication with (Wright), 312 (Abs)
Complication, of spinal anaesthesia, intracranial subdural haematoma (Ortiz *et al.*), 245
, postoperative headache (Faithfull), 59
, tension pneumothorax due to Swan–Ganz catheter (Mima), 171
Computerized tomography, use of rectal midazolam in children (Coventry *et al.*), 29
Contractility, of the isolated rabbit heart, influence of mild hypothermia (Mattheussen *et al.*), 499 (Abs)
Coronary artery disease, intravascular fluid deficit during induction (Gehring *et al.*), 332 (Abs)
, use of dipyridamole thallium scan in (Coriat *et al.*), 330 (Abs)
Coronary artery, spasm during spinal anaesthesia (Oguchi *et al.*), 69
Coronary bypass, haemodynamic effects of intravenous diltiazem (Colson *et al.*), 326 (Abs)
Coronary circulation, and coronary 'steal' – Review (Priebe), 177
Coronary stenosis, critical loss of intramyocardial blood volume (Hoeft *et al.*), 80 (Abs)
CPR, comparison of different doses of adrenaline on myocardial perfusion (Lindner *et al.*), 332 (Abs)
, effects of adrenergic drugs on subendocardial flow (Gervais *et al.*), 333 (Abs)
, recommendations for clinical studies, Working Party Report, 86
, role of sympathetic amines (Lindner & Ahnefeld), 319 (Abs)
Current European Anaesthesiology, 249 and 479

Day-stay anaesthesia, complicated by headache (Faithfull), 59
, control of scapular pain following laparoscopy with local anaesthetics intraperitoneally (Narchu *et al.*), 339 (Abs)
, effects of cimetidine on gastric pH and volume (Narchi *et al.*), 328 (Abs)
, recovery after propofol or thiopentone with alfentanil (Nielsen *et al.*), 219

DBS, (double-burst stimulation), in the diagnosis of residual neuromuscular blockade (Ueda *et al.*), 213
Diabetes, control during anaesthesia (Racoules *et al.*), 341 (Abs)
, interaction of hypothermia with ketoacidosis in prognosis (Ichai *et al.*), 340 (Abs)
Diamorphine, comparison with fentanyl for obstetric epidural infusion (Enever *et al.*), 81 (Abs)
, effect on nerve conduction *in vitro* (Power & Wildsmith), 71 (Abs)
Diaphragmatic function, effect of cardiac surgery (Clergue *et al.*), 345 (Abs)
Diclofenac, and prostacyclin production (Power *et al.*), 507 (Abs)
, efficacy of infusion in postoperative analgesia (Claeys *et al.*), 419 (Abs)
Dienes, conjugated, in CSF in head injury (Carducci *et al.*), 334 (Abs)
Difficult intubation, prediction and incidence (Deller *et al.*), 418 (Abs)
Diltiazem, haemodynamic effects of, during coronary bypass (Colson *et al.*), 326 (Abs)
Dipyridamole thallium scan, for detecting coronary stenosis (Coriat *et al.*), 330 (Abs)
Dopamine, effect on human hepatic artery and portal vein (Burns *et al.*), 75 (Abs)
, effect on oxygen consumption in volunteers (Ensinger *et al.*), 71 (Abs)
, relation of plasma levels to sympathomimetic effects (Ensinger *et al.*), 327 (Abs)
, relationship between plasma concentrations and cardiac effects (Ensinger & Schulich), 72 (Abs)
Double-burst stimulation, (DBS), use in assessing residual neuromuscular blockade (Ueda *et al.*), 213
Doxacurium, efficacy and safety in young and old patients (De Mey & Rolly, 506 (Abs)
Drug interaction, terbutaline and suxamethonium (Slater *et al.*), 281
Dystrophia myotonica, emergency Caesarean section in (Stevens & Wauchob), 305

EMG, spontaneous, in detection of arousal (Tammisto & Toikka), 109
, vocal chord and effects of vecuronium (Werba *et al.*), 314 (Abs)
Endocrine effects, of deliberate hypotension with magnesium sulphate (Crozier *et al.*), 115
Endorphins, after caudal block in children (Stathopoulou *et al.*), 334 (Abs)
Endotoxaemia, influence of omega-3 fatty acids on lactate kinetics (Pscheidl *et al.*), 342 (Abs)
Endotracheal intubation, prolonged, effect on swallowing reflex (Larminat *et al.*), (Abs)
Enflurane, effect of anaesthesia with, on outcome of GIFT (Critchlow *et al.*), 381
Epidural anaesthesia, comparison of loading solutions (Veroli *et al.*), 337 (Abs)
, effect on degranulation of granulocytes (Wanscher *et al.*), 393
, hormonal response to hypotension and hypoxaemia (Peters), 317 (Abs)
Epidural analgesia, infusions of diamorphine or fentanyl in obstetrics (Enever *et al.*), 81 (Abs)
, maternal satisfaction with (Murphy *et al.*), 78 (Abs)
, thoracolumbar with isoflurane in aortic surgery (Kataja), 427
Epidural infusions, of alfentanil, comparison with intravenous route in postoperative pain (Camu & Debucquoi) 413 (Abs)
, of bupivacaine and alfentanil, for obstetric analgesia (Cooper *et al.*), 506 (Abs)
, of sufentanil, concentrations in various tissues after (Boersma *et al.*), 338 (Abs)
Epidural morphine, for Caesarean section (Vadalouca *et al.*), 338 (Abs)
Epidural opioids, pharmacokinetic model of (Lut), 337 (Abs)
Epidural, high thoracic, influence on baroreflex control of heart rate (Goertz *et al.*), 490 (Abs)
Etomidate, comparison with propofol for suspension laryngoscopy (Boisson-Bertrand *et al.*), 141
, comparison with propofol for TIVA (Fruergaard *et al.*), 385
, effect on cerebral metabolites in brain ischaemia (Bohrer *et al.*), 233
, use during brain ischaemia, effects on evoked responses (Kochs & Schulte am Esch), 257
European Diploma in Anaesthesiology and Intensive Care – Report on Part 1, 173
European Diploma in Anaesthesiology and Intensive Care – Report on Part 2, 172
Evoked potentials, Review Article (Thornton), 89
, short-latency sensory in post-anoxic coma (Barelli *et al.*), 333 (Abs)

, somatosensory during brain ischaemia (Kochs & Schulte am Esch), 257
Excretion, urinary and biliary of pipecuronium bromide (Wierda *et al.*), 451

Fallot tetralogy, use of phenylephrine in hypoxaemic spell (Strebel *et al.*), 167
Feedback control, of neuromuscular relaxation (Olkkola & Schwilden), 7
Femoral nerve block, plasma bupivacaine concentrations in (Misra *et al.*), 73 (Abs)
, use in postoperative pain (Coad), 287
Fentanyl, comparison with diamorphine for obstetric epidural infusion (Enever *et al.*), 81 (Abs)
, effect on nerve conduction *in vitro* (Power & Wildsmith), 71 (Abs)
, effects of verapamil and nitrous oxide with, on normal myocardium (Ramsey *et al.*), 203
, epidural, versus sufentanil and intravenous sufentanil by PCA in treatment of postoperative pain (Chrubasik *et al.*), 486 (Abs)
, first-pass uptake of in the lung after cardiac surgery (Bernath & Gardaz), 485 (Abs)
, potentiation of spinal lignocaine with (Fassoulaki *et al.*), 413 (Abs)
, reversal of antinociceptive effects by naloxone (Serrao *et al.*), 401
, sedation with, effect on intracranial pressure (Mergaert *et al.*), 324 (Abs)
, with bupivacaine for epidural analgesia in obstetrics (Murphy *et al.*), 78 (Abs)
, with midazolam for induction of anaesthesia, effect on left ventricular performance and catecholamine response (Chraemmer-Jørgensen *et al.*), 437
Finapres, comparison with direct method for blood pressure (Jahnke *et al.*), 330 (Abs)
Flumazenil, reversal of midazolam effects, comparison with physostigmine or naloxone (Sarlis & Kaniaris), 328 (Abs)

Gastric pH, intramural, predictive value in septic shock (Leon *et al.*), 500 (Abs)
GIFT (gamete intra-fallopian transfer), general anaesthesia for (Critchlow *et al.*), 381
Glucose, and insulin levels during regional anaesthesia in children (Gouyet *et al.*), 496 (Abs)
, blood level, effect of haematocrit on accuracy of (Healy *et al.*), 82 (Abs)
, endogenous, effect of adrenaline on production of (Ensinger *et al.*), 505 (Abs)

Haematocrit, effect on the accuracy of blood glucose monitoring (Healy *et al.*), 82 (Abs)
Haemodynamic effects, of propofol at induction (Fairfield *et al.*), 79 (Abs)
Haemoglobin, estimations by Hemocue (Be *et al.*), 55
Halothane, comparison with isoflurane for inhalation induction in children (Lindgren *et al.*), 33
, effect on immunological assays (Atallah *et al.*), 459
, effect on outcome of GIFT (Critchlow *et al.*), 381
, effects of adrenaline-lignocaine, adrenaline and isoprenaline test doses in anaesthetized lambs (Desparmet *et al.*), 123
, following thiopentone, comparison with propofol for short procedures (Borgeat *et al.*), 74 (Abs)
, immunomodulating effect of in mice (Atallah *et al.*), 239
, with verapamil, effect on isolated perfused rat heart (Arvieux *et al.*), 497 (Abs)
Head injury, conjugated dienes in CSF in (Carducci *et al.*), 334 (Abs)
, effect of HES and hypertonic saline in reducing intracranial pressure (Weinstabl *et al.*), 509 (Abs)
Headache, postoperative (Faithfull), 59
Heart rate, baroreflex control of, influence of high thoracic epidural anaesthesia (Goertz *et al.*), 490 (Abs)
Hemocue, evaluation of (Be *et al.*), 55
Hemopump, global and regional haemodynamic effects of in dogs (Wouters *et al.*), 76 (Abs)
Hepatic artery, effects of dopamine on (Burns *et al.*), 75 (Abs)
Hormonal response, to hypotension and hypoxaemia during epidural anaesthesia (Peters), 317 (Abs)
Hydroxyethyl starch (HES), with hypertonic saline for raised intracranial pressure (Weinstabl *et al.*), 509 (Abs)
Hyperparathyroidism, primary, coronary artery spasm in (Oguchi *et al.*), 69

Hypertension, intra-operative, treatment by intravenous isradipine (Edouard *et al.*), 351
, treated, interactions with anaesthesia (Sear *et al.*), 414 (Abs)
Hypotension, deliberate, organ blood flow during (Kick *et al.*), 493 (Abs)
, haemodynamic and endocrine effects of magnesium sulphate (Crozier *et al.*), 115
, induced by labetalol, effect on renal function (Toivonen *et al.*), 13
, induced, with prostaglandin E_1 during neurosurgery (Abe *et al.*), 359
, with sodium nitroprusside and metoprolol (Bunemann *et al.*), 197
Hypothermia, mild, on the influence on contractility of the isolated rabbit heart (Mattheussen *et al.*), 499 (Abs)

Ibuprofen, effect in preventing mesenteric-traction syndrome (Brinkmann *et al.*), 491 (Abs)
IgG concentrations, effect of halothane on (Atallah *et al.*), 239
Immune responses, during surgery, differential effects of TIVA and inhalational anaesthesia (O'Flaherty *et al.*), 498 (Abs)
, effect of halothane in mice (Atallah *et al.*), 239
Immunoglobulins, effect of acupuncture and transcutaneous stimulation on, (Kho *et al.*), 39
Immunological assays, following halothane (Atallah *et al.*), 459
Induction of anaesthesia, effect of midazolam and fentanyl on left ventricular performance and catecholamine response (Chraemmer-Jørgensen *et al.*), 437
Inhalation induction, in children, use of isoflurane or halothane (Lindgren *et al.*), 33
Insulin, and glucose levels during regional anaesthesia in children (Gouyet *et al.*), 496 (Abs)
Intracranial pressure, effects of propofol or fentanyl (Mergaert *et al.*), 324 (Abs)
, effects of sufentanil on (Weinstabl *et al.*), 326 (Abs)
Intramuscular injections, through indwelling catheter (Underwood *et al.*), 465
Intranasal, pethidine for postoperative pain (Striebel *et al.*), 509 (Abs)
Intratracheal, relaxants (Simionescu), 422 (Abs)

Isoflurane, atrial and His–Purkinje conduction times in anaesthesia with (Scheffer *et al.*), 373
, combination with epidural analgesia in aortic surgery (Kataja), 427
, comparison with halothane for inhalation induction in children (Lindgren *et al.*), 33
, effect of surgical stimulation on autonomic reflex function (O'Flaherty *et al.*), 495 (Abs)
Isolated rabbit heart, potentiated state contractions in (Mattheussen *et al.*), 75 (Abs)
Isoprenaline, test dose for halothane-associated arrhythmias (Desparmet *et al.*), 123
Isradipine, in the control of hypertension during surgery (Edouard *et al.*), 351
ITU, attitude of doctors to Jehovah's Witnesses (Vincent), 297
, sedation by midazolam in (Shelly *et al.*), 21
, sedation in, with propofol and alfentanil (Harper *et al.*), 157
, sedation, with propofol or fentanyl, effects on intracranial pressure (Mergaert *et al.*), 324 (Abs)
, survival and oxygen supply dependency in the hyperdynamic patient (Hannemann *et al.*), 341 (Abs)
, usefulness of evoked potentials in predicting outcome of post-anoxic coma (Barelli *et al.*), 333 (Abs)

Jehovah's Witness patients, attitude of intensive care doctors (Vincent), 297
κ-opioid receptors, effects of ICI 197 067 at (Goodchild *et al.*), 227

Ketoacidosis, effects of hypothermia (Ichai *et al.*), 340 (Abs)
Ketocyclazocine, reversal of antinociceptive effects by naloxone (Serrao *et al.*), 401

Labetalol, effect on renal function (Toivonen *et al.*), 13
Lactate, plasma, relationship to oxygen transport and oxygen consumption in liver failure (Steltzer *et al.*), 502 (Abs)
Laryngeal mask, non-invasive airway (Supplement 4)
Laryngoscopy, direct, haemodynamic and catecholamine responses to (Cros *et al.*), 418 (Abs)

, suspension (Wilder-Smith & Borgeat), 511 (C)
, suspension (Boisson-Bertrand), 511 (C)
, suspension, use of etomidate or propofol (Boisson-Bertrand *et al.*), 141
Lateral cutaneous nerve block, comparison with femoral nerve block for postoperative analgesia (Coad), 287
Laudanosine, hepatotoxicity testing of (Tuechy *et al.*), 508 (Abs)
Leucocyte counts, effect of acupuncture and transcutaneous stimulation on (Kho *et al.*), 39
Lignocaine, with adrenaline, test dose for halothane-associated arrhythmias (Desparmet *et al.*), 123
Liver transplantation, effects of nicardipine in (Racoules *et al.*), 489 (Abs)
, use of veno-venous bypass (Ozier *et al.*), 344 (Abs)
Local anaesthetics, intraperitoneally following laparoscopy (Narchi *et al.*), 339 (Abs)
Lymphocyte count, effect of halothane on (Atallah *et al.*), 239

Magnesium sulphate, use for hypotension, effects of (Crozier *et al.*), 115
Metabolism, effect of adrenaline on alanine turnover and urea production (Träger *et al.*), 507 (Abs)
, lipid, effect of high-dose propofol (Petricek *et al.*), 500 (Abs)
, of paracetamol after general anaesthesia (Lewis *et al.*), 521
Metoprolol, with sodium nitroprusside to produce hypotension (Bunemann *et al.*), 197
Midazolam, infusions in critically ill patients (Shelly *et al.*), 21
, rectal for paediatric tomography (Coventry *et al.*), 29
, reversal of antinociceptive effects by naloxone (Serrao *et al.*), 401
, reversal with flumazenil, physostigmine or naloxone (Sarlis & Kaniaris), 328 (Abs)
, use in cardiomyopathy (Oguchi *et al.*), 301
, with alfentanil, comparison with propofol and alfentanil for TIVA (Vuyk *et al.*), 325 (Abs)
, with fentanyl for induction of anaesthesia, effect on left ventricular performance and catecholamine response (Chraemmer-Jørgensen *et al.*), 437
Morphine, premedication, pharmacokinetics of (Kentala *et al.*), 135
, with hyoscine for premedication in CPB (Kentala *et al.*), 135
Mucociliary transport velocity, influence of general anaesthesia (Konrad *et al.*), 498 (Abs)
Muscle relaxant, doxacurium, efficacy and safety (De Mey & Rolly), 506 (Abs)
, pipecuronium bromide effects (Stanley *et al.*), 151
Muscle relaxants, feedback control with vecuronium (Olkkola & Schwilden), 7
, intratracheal (Simionescu), 422 (Abs)
, multiple dosing with vecuronium and atracurium (Khuenl-Brady *et al.*), 1
Myocardial ischaemia, failure of halothane–verapamil to induce (Arvieux *et al.*), 497 (Abs)
, silent in non-cardiac surgery patients (Muir *et al.*), 77 (Abs)
Myocardium, regional contractility, effect of critical coronary stenosis on (Hoeft *et al.*), 80 (Abs)

Naloxone, and pentazocine in the seriously ill (Cardan), 421 (Abs)
, comparison with flumazenil and physostigmine in reversal of midazolam effects (Sarlis & Kaniaris), 328 (Abs)
, reversal of antinociceptive effects of fentanyl, ketocyclazocine and midazolam (Serrao *et al.*), 401
Nerve condition, effect of opioids *in vitro* (Power & Wildsmith), 71 (Abs)
Neuromuscular blockade, diagnosis with double-burst stimulation (Ueda *et al.*), 213
, effects of vecuronium on different muscles (Werba *et al.*), 314 (Abs)
, interaction with depth of anaesthesia in producing paralysis (Tammisto & Olkkola), 416 (Abs)
, of diaphragm, recovery quantified by needle force probes (Lunkenheimer *et al.*), 419 (Abs)
, pipecuronium effects (Stanley *et al.*), 151
, with suxamethonium following pretreatment with terbutaline (Slater *et al.*), 281
Neurosurgery, complication of transtentorial herniation (Wang *et al.*), 469
, prostaglandin E_1 in (Abe *et al.*), 359
Nicardipine, effects after liver transplantation (Racoules *et al.*), 489 (Abs)

Nitroprusside sodium, with metoprolol to produce hypotension (Bunemann *et al.*), 197
Nitrous oxide, with verapamil, effects on normal myocardium with fentanyl (Ramsay *et al.*), 203
Noradrenaline, effect on oxygen consumption in volunteers (Ensinger *et al.*), 71 (Abs)
, relationship between plasma concentrations and cardiac effects (Ensinger & Schulich), 72 (Abs)
Notes on books received, *Anaesthesia Review 7* (Kaufman, ed.), 175
, *Anesthesia and Uncommon Diseases*, 3rd edn (Katz, Benumof & Kadis), 175
, *Controversies in Obstetric Anaesthesia* (Morgan, ed.) 349
, *Gas Monitoring and Pulse Oximetry*, 2nd edn (Gravenstein), 425
, *Intensive Care Manual*, 3rd edn (Oh, ed.), 176, 349
, *Monitoring in Anaesthesia and Critical Care Medicine* (Blitt, ed.), 175
, *The Management of Pain*, Vols 1 & 2 (Bonica, ed.), 349

Obesity, morbid, use of propofol (Servin *et al.*), 323 (Abs)
Obstetric analgesia, epidural, maternal satisfaction with (Murphy *et al.*), 78(Abs)
, with diamorphine or fentanyl, supplementation of bupivacaine (Enever *et al.*), 81 (Abs)
Opioid, FLFQPQRFamide and adrenergic interactions on spinal nociception (Kalso *et al.*), 490 (Abs)
Oxygen consumption, during infusion by adrenergic agents (Ensinger *et al.*), 71 (Abs)
, effect of salbutamol on (Amoroso *et al.*), 414 (Abs)
, relationship to oxygen transport and blood lactate in patients with liver failure (Steltzer *et al.*), 502 (Abs)
Oxygen transport, in patients with liver failure (Steltzer *et al.*), 502 (Abs)
Oxygen utilization, potentiation by pentoxifylline in septic shock (Steltzer *et al.*), 501 (Abs)
Oxygen debt, in the critically ill patient (Reinhart), 318 (Abs)

Paf-acether, potential role in protamine toxicity (Nathan *et al.*), 329 (Abs)
Pancuronium, evaluating residual blockade with, by DBS (Ueda *et al.*), 213
Paracetamol, metabolism after general anaesthesia (Lewis *et al.*), 445
PCA, use of epidural sufentanil, intravenous sufentanil and epidural fentanyl (Chrubasik *et al.*), 486 (Abs)
Peak saccadic velocity (PSV), effect of sub-anaesthetic infusions of propofol (Gao *et al.*), 77 (Abs) and 267
Pentazocine, and naloxone in the seriously ill (Cardan), 421 (Abs)
Pentoxifylline, effect on oxygen utilization in septic shock (Steltzer *et al.*), 501 (Abs)
Pethidine, effect on nerve conduction *in vitro* (Power & Wildsmith), 71 (Abs)
, intranasally for postoperative pain (Striebel *et al.*), 509 (Abs)
Pharmacokinetics, a model for continuous peridural application of highly lipophilic opioids (Lut), 337 (Abs)
, of hyoscine plus morphine premedication (Kentala *et al.*), 135
, of pipecuronium bromide (Wierda *et al.*), 451
, of theophylline, effect of enteric feeding (Raucoules *et al.*), 329 (Abs)
Phenylephrine, use in hypoxic spell in Fallot's tetralogy (Strebel *et al.*), 167
Physostigmine, comparison with flumazenil and naloxone in reversal of midazolam effects (Sarlis & Kaniaris), 328 (Abs)
Pipecuronium bromide, influence of intravenous hypnotics on ED_{95} (Rolly *et al.*), 417 (Abs)
, neuromuscular effects of (Stanley *et al.*), 151
, pharmacokinetics of, and urinary and biliary excretion of (Wierda *et al.*), 451
Plasma volume, measurement of (Kerkkamp), 331 (Abs)
Porphyrinogenicity, of propofol in a rat model (Bohrer *et al.*), 486 (Abs)
Portal vein, effects of dopamine on (Burns *et al.*), 75 (Abs)
Potassium, in plasma, effect of pretreatment with terbutaline before suxamethonium (Slater *et al.*), 281
Potentiated state contractions in the stunned heart (Mattheussen *et al.*), 75 (Abs)
Pre-operative visiting, communication in (Wisiak *et al.*), 65
Premedication, advantages and disadvantages of clonidine (Wright), 312 (Abs)
, with atropine in children, clinical effects and plasma levels (Gindi *et al.*), 488 (Abs)

Propofol, and regional cerebral blood flow autoregulation (Werner *et al.*), 494 (Abs)
, arterialized venous concentrations, correlation with peak saccadic velocity (Gao *et al.*), 267
, comparison with etomidate for suspension laryngoscopy (Boisson-Bertrand *et al.*), 141
, comparison with midazolam, for TIVA (Vuyk *et al.*), 325 (Abs)
, comparison with thiopentone and halothane for short procedures (Borgeat *et al.*), 74 (Abs)
, effect of infusion on metabolism in man (Petricek *et al.*), 500 (Abs)
, effect of surgical stimulation on autonomic reflex function (O'Flaherty *et al.*), 495 (Abs)
, haemodynamic effects of induction dose (Fairfield *et al.*), 79 (Abs)
, porphyrinogenicity of (Bohrer *et al.*), 486 (Abs)
, sedation with, effect on intracranial pressure (Mergaert *et al.*), 324 (Abs)
, sub-anaesthetic infusions, effects on peak saccadic velocity (Gao *et al.*), 77 (Abs) and 267
, use in the morbidly obese (Servin *et al.*), 323 (Abs)
, use in TIVA for stereotactic surgery (Bone & Bristow), 47
, versus etomidate for TIVA (Fruergaard *et al.*), 385
, with alfentanil sedation in intensive therapy (Harper *et al.*), 157
, with alfentanil, comparison with thiopentone and alfentanil for day-stay anaesthesia (Nielsen *et al.*), 219
Prostacyclin, effects on coagulation and haemodynamic parameters in open-heart surgery (Sobczynski *et al.*), 421 (Abs)
, renal production of, with and without diclofenac (Power *et al.*), 507 (Abs)
Prostaglandin E_1, effect on cerebral blood flow during aneurysm clip (Abe *et al.*), 359
, effects of, during cardiopulmonary bypass (Okuda *et al.*), 129
Protamine, potential role of paf-acether in toxicity (Nathan *et al.*), 329 (Abs)
Psychological aspects of pre-operative visiting (Wisiak *et al.*), 65
Psychomotor function, after anaesthesia, effects of propofol or thiopentone with alfentanil (Nielsen *et al.*), 219
Pulmonary oedema, following temporal arthroscopy (Melton *et al.*), 471
Recovery, after day-stay anaesthesia, cognitive and psychomotor tests after total intravenous anaesthesia (Nielsen *et al.*), 219
, from etomidate or propofol after suspension laryngoscopy (Boisson-Bertrand *et al.*), 141
Rectal, midazolam in children (Coventry *et al.*), 29
Renal function, effect of hypotension with labetalol on (Toivonen *et al.*), 13
Renin, activity with deliberate hypotension with magnesium sulphate (Crozier *et al.*), 115
Review Article, Coronary circulation and coronary 'steal' (Priebe), 177
, Evoked potentials in anaesthesia (Thornton), 89

Saccadic eye movements, peak velocity of, effects of propofol in sub-anaesthetic concentrations (Gao *et al.*), 77 (Abs) and 267
Safety, testing the Bain circuit (Berge *et al.*), 309
Salbutamol, effect on oxygen consumption (Amoroso *et al.*), 414 (Abs)
Sciatic nerve blocks, plasma bupivacaine concentrations in (Misra *et al.*), 73 (Abs)
Sedation, by midazolam in ITU (Shelly *et al.*), 21
, in intensive therapy, use of propofol and alfentanil infusion (Harper *et al.*), 157
, with rectal midazolam for paediatric tomography (Coventry *et al.*), 29
Septic shock, improvement of oxygen utilization with pentoxifylline (Steltzer *et al.*), 501 (Abs)
, oxygen supply dependency and survival (Hannemann *et al.*), 341 (Abs)
, predictive value of gastric intramural pH in (Leon *et al.*), 500 (Abs)
, effects on intestinal blood flow and ATP in pigs (Zeeb & Pfenninger), 73 (Abs)
Smoking, effectiveness of advice to stop (Jones *et al.*), 415 (Abs)
Spinal anaesthesia, complicated by coronary artery spasm (Oguchi *et al.*), 69
, for Caesarean section, ventilatory patterns in (Pain *et al.*), 504 (Abs)
, isobaric, effect of injected volume (Schmitz & Lanz), 336 (Abs)
, use of emergency Caesarean section in a case of dystrophia myotonica (Stevens & Wauchob), 305

, using bupivacaine in elderly patients (Labaille *et al.*), 334 (Abs)
, with isobaric bupivacaine and adrenaline (Tetzlaff *et al.*), 335 (Abs)
Spinal analgesia, induced by chlordiazepoxide (Boulter *et al.*), 407
, lignocaine supplemented by fentanyl (Fassoulaki *et al.*), 413 (Abs)
Spinal nociception, effects of opioid FLFQPQRFamide and adrenergic agents (Kalso *et al.*), 490 (Abs)
Stereotactic surgery, use of total intravenous anaesthesia (Bone & Bristow), 47
Stress response, attenuation of, and effect on degranulation of granulocytes (Wanscher *et al.*), 393
'Stunned' isolated rabbit heart, potentiated state contractions in (Mattheussen *et al.*), 75 (Abs)
Subdural haematoma, intracranial after spinal anaesthesia (Ortiz *et al.*), 245
Sufentanil, concentrations in various tissues after long-term epidural infusion (Boersma *et al.*), 338 (Abs)
, effects on cerebrovascular and intracranial dynamics (Weinstabl *et al.*), 326 (Abs)
, epidural versus intravenous route and epidural fentanyl by PCA in postoperative pain (Chrubasik *et al.*), 486 (Abs)
Surgery, abdominal aortic, management with epidural anaesthesia and isoflurane (Kataja), 427
, abdominal, intra-operative hypertension during, treatment by isradipine (Edouard *et al.*), 351
, cerebral aneurysm clip, effect of prostaglandin E_1 on local cerebral blood flow, during (Abe *et al.*), 359
, cerebral aneurysm, hopotension with magnesium sulphate (Crozier *et al.*), 115
, non-cardiac, silent myocardial ischaemia in (Muir *et al.*), 77 (Abs)
, oesophagectomy, use of intrapleural bupivacaine postoperatively (Tartiere *et al.*), 145
, open-heart, effects of prostacyclin on coagulation and haemodynamics (Sobczynski *et al.*), 421 (Abs)
, temporomandibular arthroscopy, pulmonary oedema complicating (Melton *et al.*), 471
, vascular, complications of (Sabate *et al.*), 420 (Abs)
, vascular, influence of cardiac failure on ANF (Blake *et al.*), 365
Suxamethonium, effect of terbutaline on plasma potassium and level of blockade (Slater *et al.*), 281
Swallowing reflex, effect of prolonged intubation on (Larminat *et al.*), 487 (Abs)

TENS, effect on immunoglobulin levels and leucocyte counts (Kho *et al.*), 39
Terbutaline, effect on plasma potassium and neuromuscular blockade following suxamethonium (Slater *et al.*), 281
Theophylline, pharmacokinetics of, influence of enteric feeding (Raucoules *et al.*), 329 (Abs)
Thiopentone, with halothane, comparison with propofol for short procedures (Borgeat *et al.*), 74 (Abs)
Tissue oxygenation, assessment in the critically ill patient (Reinhart), 318 (Abs)
TIVA, comparison of midazolam and propofol, both combined with alfentanil (Vuyk *et al.*), 325 (Abs)
, comparison with inhalational anaesthesia, differential effects on neuroendocrine and immune reactions (O'Flaherty *et al.*), 498 (Abs)
, use for stereotactic surgery (Bone & Bristow), 47
, with propofol or etomidate (Fruergaard *et al.*), 385
, with propofol or thiopentone with alfentanil, recovery of cognitive and psychomotor functions (Nielsen *et al.*), 219
Tracheal intubation, predictability of difficulties (Deller *et al.*), 419 (Abs)
, relationship of chest radiography to fibre-optic bronchoscopic evaluation of position (Nielsen *et al.*), 277
Training, assessment of European departments (Dick *et al.*), 475
Transcranial Doppler sonography, in patients with brain disorders (Schregel *et al.*), 321 (Abs)
Transcutaneous nerve stimulation, effect on immunoglobulin levels and leucocyte counts (Kho *et al.*), 39

Vecuronium, effects on different muscles (Werba *et al.*), 314 (Abs)
, in feedback control of neuromuscular relaxation (Olkkola & Schwilden), 7

, multiple dosing, comparison with atracurium (Khuenl-Brady *et al.*), 1
Veno-venous bypass, during liver transplantation (Ozier *et al.*), 344 (Abs)
Ventricular dysrhythmias, associated with cardiomyopathy, anaesthetic management of (Oguchi *et al.*), 301
Verapamil, with halothane, effect on isolated perfused rat heart (Arvieux *et al.*), 497 (Abs)
, with nitrous oxide, effects on normal myocardium with fentanyl (Ramsay *et al.*), 203

Referees for 1991

A.P. Adams
S. Agoston
A.R. Aitkenhead
J.O. Arndt
G. Barrier
A.M. Black
L.H. Booij
T.B. Boulton
J.G. Bovill
K. Budd
C. Carlsson
J.N. Cashman
R.S. Clarke
G. Cooper
I.M. Corall
T.A. Crozier
W. Dick
P. Duvaldestin
W. Erdmann
P. Foëx
J.M. Foy
A.A. Gilbertson
H. Gilly
N.W. Goodman
J.P. Haberer
G.M. Hall
M. Harmer
D.J. Hatch
B. Hayes
A.I. Hollmen
C.J. Hull
M. Huttel
P. Hutton
R.M. Jones
B. Juhl
G. Kalff
B. Kay
D. Kettler
J. Kilian
F. Knudsen
K. Korttila
J. Lassner
B. Lofstrom
D. Lundberg
J.N. Lunn
F. Magora
J. Marty
J.S. Mecklenburgh
J. Neumark
W.S. Nimmo
J. Norman
J.F. Nunn
J.C. Otteni
G. Pelosi
B.J. Pleuvry
C.P. Prys-Roberts
J. Qvist
S. Reiz
G. Rolly
M. Rosen
J. Rupreht
F.T. Schuh
J. Schuttler
H. Schwilden
D.B. Scott
J.W. Sear
P.J. Simpson
A.A. Spence
M.S. Stanton-Hicks
L. Strunin
M. Sych
M.K. Sykes
T. Tammisto
D. Thomson
J.E. Utting
H. Van Aken
R.S. Vaughan
B. Walton
J.G. Whitwam
S.M. Willatts
J.S.M. Zorab